The application was originally made under the Patent Cooperation Treaty with the Fed. Rep. of Germany Patent Office acting as the receiving office on (86) 16 Dec 1981, being given an application number PCT/DE81/D0228. The application was searched by the European Patent Office acting as the international Search Authority (ISA), and published by the International Bureau on (87) 24 Jun 1982 under serial number WO 82/01993 in the German language. The text of the application is contained in the publication made by the International Bureau as above identified, the accompanying text being an English translation thereof.

## UK Patent Application (19) GB (11) 2 102 292 A

- (21) Application No 8223605
- (22) Date of filing 16 Dec 1981
- (30) Priority data
- (31) 3047774
- (32) 18 Dec 1980
- (33) Fed. Rep. of Germany (DE)
- (43) Date of issue 2 Feb 1983
- (51) INT CL<sup>3</sup>
  (As given by ISA)
  A61K 7/32 A61L 9/01
- (52) Domestic classification A58 FG
- (56) Documents cited by ISA DE, A, 2623652 Chemical Abstracts, Vol. 89, No. 2, abstract 11983m FR, A, 2310800 FR, A, 2455068 DE, A, 2737070 Chemical Abstracts, Vol. 89, No. 4, abstract 35900h Chemical Abstracts, Vol. 79, No. 10, abstract 54766d FR, A, 2368509 FR, A, 2164801 US, A, 3939099 US, A, 4252789
- (58) Field of search by ISA
  INT CL<sup>3</sup> A61K 7/00; A61L
  9/00
- (71) Applicant
  Holger Meyer,
  Moosbergweg 6c,
  D—2000 Hamburg 71,
  Federal Republic of
  Germany
- (72) Inventor
  Jurgen-Detlev usw Von
  Uexkull
- (74) Agents
  Sanderson and Co.,
  97 High Street,
  Colchester, Essex,
  C01 1TH

(54) Use of polyethylene imine as absorbant for odorous susbtances

(57) Use of polyethylene imine as absorbant for odorous substances, in particular fatty acids, aldehydes and ketones. The degree of polymerization of the polyethylene imine used is selected so that the polyethylene imine is, on the one hand, toxicologically harmless and preferably exhibits, on the other hand, a sufficient solubility in an aqueous

medium. In a preferred embodiment, aqueous solutions of polyethylene imine having a concentration rate of 0.1 to 10%, are used. Another preferred utilization consists in impregnating with polyethylene imine materials which are later contacted with odorous substances. The invention is applicable to cosmetology, body hygiene, technical deodorization and air sweetening. A particularly important field of application of the invention is the deodorization of purification plants.

The application was originally made under the Patent Cooperation Treaty with the Fed. Rep. of Germany Patent Office acting as the receiving office on (86) 16 Dec 1981, being given an application number PCT/DE81/00226, The application was searched by the European Patent Office acting as the International Search Authority (ISA), and published by the International Bureau on (87) 124 Jun 1982 under serial number WO 82/01993 in the German tanguage, The text of the application is rontained in the publication made by the International Bureau as above Identified, the accompanying text being an English translation thereof.

## UK Patent Application (19) GB (11) 2 102 292 A

- 21) Application No 8223605
- 22) Date of filing 16 Dec 1981
- 30) Priority data
- 31) 3047774
- 32) 18 Dec 1980
- 33) Fed. Rep. of Germany (DE)
- 43) Date of issue 2 Feb 1983
- 51) INT CL<sup>3</sup>
  (As given by ISA)
  A61K 7/32 A61L 9/01
- 52) Domestic classification A5B FG
- 56) Documents cited by ISA
  DE, A, 2623652
  Chemical Abstracts, Vol.
  89, No. 2, abstract 11983m
  FR, A, 2310800
  FR, A, 2455068
  DE, A. 2737070
  Chemical Abstracts, Vol.
  89, No. 4, abstract
  35900h
  Chemical Abstracts, Vol.
  79, No. 10, abstract
  54766d
  FR, A, 2368509
  FR, A, 2164801
- US, A, 4252789 58) Field of search by ISA INT CL<sup>3</sup> A61K 7/00; A61L 9/00

US, A, 3939099

(54) Use of polyethylene imine as absorbant for odorous susbtances

(57) Use of polyethylene imine as absorbant for odorous substances, in particular fatty acids, aldehydes and ketones. The degree of polymerization of the polyethylene imine used is selected so that the polyethylene imine is, on the one hand, toxicologically harmless and preferably exhibits, on the other hand, a sufficient solubility in an aqueous

medium. In a preferred embodiment, aqueous solutions of polyethylene imine having a concentration rate of 0.1 to 10%, are used. Another preferred utilization consists in impregnating with polyethylene imine materials which are later contacted with odorous substances. The invention is applicable to cosmetology, body hygiene, technical deodorization and air sweetening. A particularly important field of application of the invention is the deodorization of purification plants.

## **ERRATUM**

## SPECIFICATION NO 2102292A

ront page, Heading (72) Inventor below Inventor delete whole lines insert Holger Meyer

HE PATENT OFFICE April 1983

Bas 250456/12

)2 292 A